

# GREENFIN

## G-Series Tools



### **DURABLE.**

#### MEANT FOR SERIOUS LANDSCAPING

Designed for professionals and serious raking. Our tools have been tested by tens of thousands of workers for more than twenty years. We only use the best materials to provide tools that will last for tough use in harsh conditions.

### **COMFORT.**

#### IT'S ALL ABOUT ERGONOMICS

Designed for more productivity and less fatigue. Our tools are designed with the user in mind. We supply the longest and lightest (only 1,3-1,9 kg) tools combined with optimal angles to avoid awkward posture and to reduce discomfort.

### **MODULAR.**


#### TAILORED FOR MULTI-PURPOSE

Designed for flexibility. The modular design of the tools allows for 216 different options. The tools you can assemble are suitable for a wide range of purposes and users.

### **GREEN, BLACK OR WHITE?**

#### MAKE SURE THE PRODUCT IS RIGHT

Designed for multipurpose usage. Thanks to the ergonomic and robust design of our tools they will deliver results in various environments and for different material. Our tools are used, for instance, at construction sites, park landscaping, golf courses, and ski slopes.




## BLADES

Product code	EAN code	Shaft length	Weight
<b>A-series blade</b>			
A40	6430026620526	400 mm	0,33 kg
A50	6430026620533	500 mm	0,42 kg
A60	6430026620540	600 mm	0,49 kg
A70	6430026620557	700 mm	0,56 kg
A80	6430026620564	800 mm	0,63 kg
A90	6430026620571	900 mm	0,69 kg
<b>H-series blade</b>			
H40	6430026620700	400 mm	0,28 kg
H50	6430026620717	500 mm	0,35 kg
H60	6430026620724	600 mm	0,41 kg
H70	6430026620731	700 mm	0,47 kg
H80	6430026620748	800 mm	0,53 kg
H90	6430026620755	900 mm	0,57 kg
<b>L-series blade</b>			
L40	6430026620465	400 mm	0,40 kg
L50	6430026620472	500 mm	0,50 kg
L60	6430026620489	600 mm	0,59 kg
L70	6430026620496	700 mm	0,67 kg
L80	6430026620502	800 mm	0,76 kg
L90	6430026620519	900 mm	0,83 kg




A50

Sora, sepele, hiekka



H50

Asfaltti, betoni, sora,  
sepele, hiekka, multa



L50

Asfaltti, betoni, sora, sepele

- Manufactured from durable and corrosion-resistant light-weight aluminium alloy
- Raw aluminium blades
- Upon order: black powder coating, RAL 9005
- Blade width 400 mm - 900 mm
- Both sides of the blades can be used
- Delivered in parts or assembled





## BLADES

Product code	EAN code	Shaft length	Weight
<b>M-series blade</b>			
M40	6430026620649	400 mm	0,28 kg
M50	6430026620656	500 mm	0,35 kg
M60	6430026620663	600 mm	0,41 kg
M70	6430026620670	700 mm	0,47 kg
M80	6430026620687	800 mm	0,53 kg
M90	6430026620694	900 mm	0,57 kg
<b>U-series blade</b>			
U40	6430026620762	400 mm	0,39 kg
U50	6430026620779	500 mm	0,49 kg
U60	6430026620786	600 mm	0,58 kg
U70	6430026620793	700 mm	0,65 kg
U80	6430026620809	800 mm	0,74 kg
U90	6430026620816	900 mm	0,80 kg
<b>V-series blade</b>			
V40	6430026620588	400 mm	0,32 kg
V50	6430026620595	500 mm	0,40 kg
V60	6430026620601	600 mm	0,48 kg
V70	6430026620618	700 mm	0,54 kg
V80	6430026620625	800 mm	0,61 kg
V90	6430026620632	900 mm	0,67 kg



M50

Gravel, macadam, sand and soil




U50

Concrete, gravel,  
macadam, sand and soil



V50

Gravel, macadam, sand and soil






G22 P22

G20 P20

G18 P18



## SHAFTS

Product code	EAN code	Shaft length	Coating	Weight
<b>Shaft painted</b>				
P18	6430026620403	1,8 m	RAL 6018	1,00 kg
P20	6430026620410	2 m	RAL 6018	1,04 kg
P22	6430026620427	2,2 m	RAL 6018	1,08 kg
<b>Shaft with rubber grip</b>				
G18	6430026620434	1,8 m	Rubber grip	1,07 kg
G20	6430026620441	2 m	Rubber grip	1,12 kg
G22	6430026620458	2,2 m	Rubber grip	1,16 kg

- Manufactured from durable and corrosion-resistant light-weight aluminium alloy
- Coating painted green, RAL 6018
- A non-slip rubber grip also available for the shaft
- Shaft length 1,8 m, 2 m ja 2,2 m
- Easy, durable and fast connection to the blade

Contact us and order  
a tool that suits just  
for you!

[info@greenfinntools.com](mailto:info@greenfinntools.com)  
[www.greenfinntools.com](http://www.greenfinntools.com)

The code for the assembled tool consists of blade  
and shaft codes, e.g. 1.8 m rake with U40 blade  
without grip: U40-P18

# GREENFIN

• Grafipro Oy, Business ID: FI08371754 • Hometown: Naantali • Postal address: Voivalantie 24 A, 20780 Kaarina  
• Phone: +358 50 387 3624, +358 40 565 0126, +358 40 777 3527  
• E-mail: [grafipro@grafipro.fi](mailto:grafipro@grafipro.fi) • [www.grafipro.fi](http://www.grafipro.fi)